

LG SE3B, SE3KB Touch Screen Overlay



Advanced Interactive Collaboration Solution

The TSi touch overlay is an Infrared (IR) based solution, which allows for a high accuracy interactive experience. The usage of IR technology allows for virtually any input to be detected (pen/stylus, user's fingers, palms, gloved fingers). The TSi touch overlay is a full steel chassis integrated with anti-glare or anti-reflective tempered cover glass, which increases durability and optical clarity, while protecting the display.



Multi-Touch Screen
 True multi-touch support with up to six simultaneous touch points for all major operating systems



Easy Integration
 Unrivaled simplicity makes installation easier and faster



Ultra-Fast Response Time
 Allows for split second reactions between touch point and screen



HID Compliant
 Maximum compatibility with numerous operating systems, plug-and-play





Superior Design
 Full steel chassis combined with anti-glare or anti-reflective tempered glass provides additional protection to the LCD panel



Customizable
 Custom colors and silk screening available

Solution Sizes Available



Specifications

	43"	49"
Display Compatible	LG 43SE3B / 43SE3KB	LG 49SE3B / 49SE3KB
Part Numbers	TSI-43SE3B-06IDAGO TSI-43SE3K-06IDAGO* TSI-43SE3B-06IDARO TSI-43SE3K-06IDARO*	TSI-49SE3B-06IDAGO TSI-49SE3K-06IDAGO* TSI-49SE3B-06IDARO TSI-49SE3K-06IDARO*
Protective Glass	1/8" Anti-Glare/Anti-Reflective Cover Glass	
Frame Material	Black Powder Coat Seal	
Touch Technology	IR	
Touch Points	6 Point (10 Point Optional)	
Response Time	6 - 16ms	
Touch Accuracy	+/- 2mm (Over 99% Area)	
Interface	Type A USB/M	
Communication	USB 2.0	
Power Supply Mode	USB	
Width/Height/Depth Including Monitor	39.25" x 23.03" x 2.32"	44.49" x 26.26" x 2.48"
Weight Including Monitor	42.32 lbs	55.10 lbs
OS Support	Windows, Google Chrome, Android, Mac, Linux	